
RIMS

LINE-UP 2025



CONTENTS

MTB RIMS

ROCKY 22 3
ROCKY 23 4
E-ROCKY 25 5
ROCKY 27 6
E-POWER 30 7

SPORT MTB RIMS

ENDURO 8
ENDURO PLUS 9

GRAVEL AND DISC ROAD RIMS

S-DISC 10
R-DISC 11

ROAD RIMS

RAPID 12
EDDY 13

HEAVY DUTY RIMS

G-DISC 14
ATLAS 15
ATLAS-disc 16
ATLAS HEAVY 17

DOUBLE-WALL RIMS

DRAGON LINE 18
HIT 21 19
TOP DISC 20

SINGLE WALL RIMS

RMX 19 21
RMX 20 22
RMX 21 23

SUITABILITY FOR USE

- maximum suitability
- good suitability
- suitability
- no suitability (no difference between them)

ROCKY 22

RX 3022

A more traditional rim suitable for XC and more demanding use on trails and in all-mountain terrain. Also suitable for e-bikes.


E-Bike Ready


Available with silver or black eyelets, or without eyelets.

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
559 x 22	534,3 mm	548 mm	32, 36	SEE	black
584 x 22	559,4 mm	601 mm	32, 36	SEE	black
622 x 22	597,8 mm	620 mm	32, 36	SEE	black





ROCKY 23

RX 3023


A lightweight and modern rim with an elegant design. Equally at home on dusty dirt roads or forest trails scattered with roots and rocks. The rim is Tubeless Ready, an unprecedented feature in its price category.


Available with silver or black eyelets, or without eyelets.

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
559 x 23	534,7 mm	504 g	28, 32, 36	SEE	black
584 x 23	559,1 mm	526 g	28, 32, 36	SEE	black
622 x 23	597,5 mm	560 g	28, 32, 36	SEE	black





E-ROCKY 25


RX 3025


Versatile MTB rim designed for more demanding terrain, also ideal for e-bikes.
Compatible with both traditional inner tube setups and tubeless systems.
Available in eyeletted (black or silver) and non-eyeletted versions.

Recommended use by category:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	COLOUR
559 x 25	534,1 mm	500 g	32, 36	black
584 x 25	559,2 mm	535 g	32, 36	black
622 x 25	597,5 mm	594 g	32, 36	black





ROCKY 27

RX 3027

Tubeless Ready


E-Bike Ready


The widest and newest rim in the ROCKY family. It supports tubeless systems and is suitable for e-bikes. The Rocky 27 feels right at home on the trail, making it an excellent choice for aggressive trail bikes and enduro riding.
Available with silver or black eyelets, or without eyelets.

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
584 x 27	559,1 mm	580 g	32, 36	SEE	black
622 x 27	597,5 mm	605 g	32, 36	SEE	black





E-POWER 30

RX **3030**

A rim specialized for E-MTB and downhill bikes. Extremely durable and ready for the most demanding conditions. Naturally, it is compatible with tubeless setups.

Specifications:


- Option for larger eyelets for 13G nipples
- Drilling with a large offset and angles up to 6°
- Option for double eyelets
- Load capacity of 250 kg per pair


Thanks to these features, the E-Power 30 is also the ideal choice for e-bikes with hub motors, cargo bikes, trailers, and other heavy-load applications.

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
559 x 30	534,7 mm	565 g	32, 36	SEE	black
584 x 30	556,9 mm	574 g	32, 36	SEE	black
622 x 30	595,3 mm	616 g	32, 36	SEE	black





ENDURO

RX 2027

Tubeless Ready

E-Bike Ready

Spot Weld

Anodized


A lightweight and durable sleeve-joined rim, perfect for aggressively tuned XC bikes and technical trails. Its strength also makes it suitable for demanding all-mountain and enduro riding. The spot weld ensures maximum joint durability, while the anodized surface protects against scratches and corrosion, enhancing both its durability and aesthetics. An excellent choice for MTB e-bikes.


Available with silver or black eyelets.

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
584 x 27	557,3 mm	494 g	28, 32	SEE	BA
622 x 27	595,7 mm	547 g	28, 32	SEE	BA





ENDURO PLUS

RX 2030

A durable sleeve-joined rim designed for enduro and downhill disciplines. With its robust construction and spot weld, it is an ideal choice for demanding riders seeking reliability and durability in extreme conditions. In the enduro and downhill rim category, the RX2030 has earned a reputation for exceptional value for money. An excellent choice for MTB e-bikes.

Available with silver or black eyelets.

Tubeless Ready

E-Bike


Spot Weld


Anodized

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
584 x 30	559,9 mm	574 g	28, 32	SEE	BA
622 x 30	598,3 mm	616 g	28, 32	SEE	BA





S-DISC

RX 5025

Tubeless Ready

A gravel rim built for hardcore riding. Supports tires up to 50 mm wide. The stiff construction, tubeless design, and spot-welded joint ensure strength and reliability. The anodized surface provides protection against corrosion and wear. Aero profile enhances speed and efficiency.

E-Bike Ready

Available with silver eyelets, black eyelets, or without eyelets.


Spot Weld

Category compatibility:



Anodized

DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
622 x 25	580 mm	570 g	28, 32	BA



R-DISC

RX **5020**

A rim designed for road bikes with disc brakes. The 20 mm internal width ensures optimal tire support. Tubeless ready, with a spot-welded joint and anodized surface, guaranteeing strength, reliability, and corrosion resistance. An ideal choice for modern road bikes with disc brakes.

Tubeless Ready


Spot Weld

Anodized

Category compatibility:



DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
622 x 20	585,8 mm	515 g	28, 32	BA





RAPID

RMX **6515**

Spot Weld


A high-profile rim with an aerodynamic design offering exceptional strength and stability. The sleeve-joined construction with a welded joint and anodized surface ensures reliability and long lifespan. An ideal choice for road bikes.


Anodized

Category compatibility:



DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
622 x 15	582 mm	574 g	20, 24, 32	BA





EDDY

RX **917**

A road rim with an eyelets and an internal width of 17 mm. The sleeve-joined construction with a welded joint and anodized surface ensures high strength, durability, and long lifespan. An ideal choice for your training wheelsets.


Spot Weld

Anodized

Category compatibility:



DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
622 x 17	598,3 mm	616 g	28, 32	SEE	BA





G-DISC


RX 5022

A versatile aerodynamic rim with high strength. The 22 mm internal width provides stability and durability, even in demanding terrain. Ideal for gravel, bikepacking, and high-load disciplines. Maximum load capacity: 200 kg.

Category compatibility:



DIMENSION	ERD	WEIGHT	NO. OF HOLES	EYELETING	COLOUR
622 x 22	574,8 mm	670 g	24, 28, 32, 36	–	BA





ATLAS

RDXX **2023**

A versatile cargo rim built for maximum load capacity. Available in versions for both rim and disc brakes, with the option of double eyelets for extra stiffness and durability. The welded joint and anodized surface ensure long-lasting performance and resilience. An ideal choice for bikes, trailers, and tricycles.

Available with silver or black eyelets.

E-Bike Ready


Spot Weld

Anodized

Category compatibility:

CARGO **BIKEPACKING** **TRAILER**

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
406 x 23	378,6 mm	480 g	32, 36	DEE	BA
507 x 23	480,3 mm	610 g	32, 36	DEE	BA
559 x 23	531,8 mm	710 g	32, 36	DEE	BA



ATLAS-disc

RDX 2023

E-Bike Ready

A cargo rim optimized for disc brakes. Offering an excellent weight-to-load ratio, it is tubeless ready, welded, and anodized. A perfect solution for those demanding a reliable and durable cargo rim for disc brakes.

Spot Weld


Available with silver or black eyelets.

Category compatibility:

Anodized

CARGO BIKEPACKING TRAILER

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
406 x 23	376,4 mm	460g	32, 36	SEE	BA
507 x 23	478,1 mm	580g	32, 36	SEE	BA
559 x 23	529,6 mm	620g	32, 36	SEE	BA





ATLAS HEAVY

RDXX **2033**

The strongest cargo rim in our lineup. Its wider profile allows for the use of wider tires, providing greater stability and comfort. Maximum load capacity: 250 kg.

Available with silver or black eyelets.


E-Bike Ready

Anodized

Category compatibility:

CARGO BIKEPACKING TRAILER

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
406 x 33	405,6 mm	618 g	32, 36	DEE	BA
507 x 33	507,3 mm	671 g	32, 36	DEE	BA
559 x 33	558,8 mm	772 g	32, 36	DEE	BA



DRAGON LINE

RX **719**


A legendary rim that has become REMERX's best-selling model thanks to its quality, reliability, and durability. A time-tested design that doesn't need change because it works perfectly.
Available with or without CNC-machined brake surfaces. Colors: black, natural, or silver anodized.

Available with silver or black eyelets, or without eyelets.


Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
406 x 19	382,3 mm	381 g	28, 32, 36	SEE/DEE	black, silver, natural
507 x 19	484 mm	469 g	28, 32, 36	SEE/DEE	black, silver, natural
559 x 19	535,5 mm	521 g	28, 32, 36	SEE/DEE	black, silver, natural
584 x 19	560,6 mm	567 g	28, 32, 36	SEE/DEE	black, silver, natural
622 x 19	599 mm	574 g	28, 32, 36	SEE/DEE	black, silver, natural







HIT 21


RX **4521**

An upgraded successor to the legendary Dragon Line rim, quickly gaining popularity for its versatility and reliability. The HIT21 is an ideal choice for city and trekking bikes as well as modern shared bicycles.
Available with or without CNC-machined brake surfaces. Colors: black, natural, or silver anodized.
Available with silver eyelets, black eyelets, or without eyelets.

Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
559 x 21	534,1 mm	520g	32, 36	SEE	black, silver
584 x 21	559,2 mm	562g	32, 36	SEE	black, silver
622 x 21	597,6 mm	564g	32, 36	SEE	black, silver





TOP DISC

RX **3019**


A lightweight rim designed for trekking, cross, and XC bikes. Its low weight makes it an ideal choice for riders seeking a reliable rim for riding on dirt roads, forest trails, and light terrain.
Available in black, natural, or silver anodized finish.

Available with silver eyelets, black eyelets, or without eyelets.

Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT WITH EYELET	NO. OF HOLES	EYELETING	COLOUR
559 x 19	534,2 mm	495 g	32, 36	SEE	black
584 x 19	559,3 mm	530 g	32, 36	SEE	black
622 x 19	597,7 mm	573 g	32, 36	SEE	black





RMX 19

RX **19**


A super lightweight single-wall rim, perfect for kids' bikes where every gram matters. With a 19 mm internal width and a deeper profile compared to the RMX20, it ensures increased stiffness and durability. Available in natural finish, black anodized, and silver anodized.

Anodized

Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
203 x 19	203,2 mm	172 g	16, 20, 24	BA/N
305 x 19	304,7 mm	267 g	16, 20, 24,2 8,32	BA/N
406 x 19	390,6 mm	370 g	24, 28, 32, 36	BA/N
507 x 19	492,3 mm	450 g	28, 32, 36	BA/N
559 x 19	543,8 mm	483 g	32, 36	BA/N
622 x 19	607,3 mm	543 g	32, 36	BA/N





RMX 20

RMX **20**


Anodized

An extra lightweight single-wall rim designed for kids‘ bikes, where every gram counts. With a 20 mm internal width and a lower profile compared to the RMX19, it offers weight savings and improved bike handling. Available in natural finish, black anodized, and silver anodized.

Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
305 x 20	304,7 mm	206 g	16, 20, 24, 28, 32	BA/N
406 x 20	394,7 mm	282 g	24, 28, 32, 36	BA/N
507 x 20	496,5 mm	345 g	28, 32, 36	BA/N
559 x 20	548 mm	380 g	16, 20, 24, 28, 32	BA/N





RMX 21

RX 4041


A reliable single-wall rim with a classic design, suitable for all wheel sizes. It offers durability and dependability, making it an ideal choice for versatile use in various conditions.

Anodized

Category compatibility:

SCOOTER KIDS CITY TREK KROS

DIMENSION	ERD	WEIGHT	NO. OF HOLES	COLOUR
203 x 21	190,8 mm	160 g	16, 20, 24	BA / SA / N
305 x 21	292,3 mm	240 g	16, 20, 24, 28, 32	BA / SA / N
355 x 21	342,6 mm	290 g	24, 28, 32, 36	BA / SA / N
406 x 21	393,2 mm	341 g	24, 28, 32, 36	BA / SA / N
507 x 21	494,9 mm	400 g	28, 32, 36	BA / SA / N
540 x 21	527,2 mm	453 g	28, 32, 36	BA / SA / N
559 x 21	546,4 mm	465 g	32, 36	BA / SA / N
590 x 21	577,8 mm	465 g	32, 36	BA / SA / N
622 x 21	609,9 mm	520 g	32, 36	BA / SA / N







REMERX s.r.o.
č. ev. 248, 763 21 Lipová, Czech Republic
Tel.: +420 577 310 023, +420 577 341 918, Fax: +420 577 343 138
E-mail: remerx@remerx.cz